

GB/T 1094.4—2005
GB/T 7449—1987

Powe

1

1
1
1
2
2
3
3
3
3
4
4
5
7
7
7
9
10

GB/T 1094.4—2005

A . 6		23
B . 1	——400kV	26
B . 2	——115 kV	27
B . 3	400kV/220kV	28
B . 4	— 400kV	1 . 1% 29
B . 5	——220kV	30
B . 6	——220/110kV	30
B . 7	—— 66kV	31
B . 8	——115kV	32
B . 9	——220kV	33
B . 10	——115kV	33
B . 11	—— 220kV	34
B . 12	——	35
B . 13	+e + # - 0 —400kV > ~ B-P-14/30	<

% P

—— 1
—— 2

} Ä

4

5

—
—
—

()

)

7.1 7.3

);

)

()

(

8

()

»

+a+a

+a»

Ä Ä

B

7

Ä

»

Ba

/BÄ

+a

Ä

Ae

+a

(

H

6



(11)

7.5.4.2

7.5.3.2

8.1

(

3

,

Ta≥200 μ

1000 μ

/ 1

8.2.4.2

ü

|



GB/


50%

(~~AO~~

F

(

9.2.1



7.5

1980

— —
— .

/




E = = =



() (

(



1—

3—


4—


5—

6—

—

C C






1—

30%

90%

90%

()




- 1 —
- 2 —
- 3 —

8.2.2.1;

() (4)

A. 2 (L>100 mH)




(1);
(1);
(1)

A.

(1b)

$T \approx 0.7R_s(C + C_g)$ (A.1b)(A.4)

$C_g \gg C$:




A.3

,m m
tt f - ! Fm " t

3

0

5



B

B.1

B



9.1.2;9.1.3

B.1 (


B.17		9.1.4;10
B.18		7.5.2;7.5.4.1;10
B.19		7.5.2;7.5.4.1;10
B.20		7.2.2;10
B.21		7.5.2;10;7.5.4.1
B.22		10
B.23		10

(1)



(2)

(3)


)



(1)



(2)



(100%)
(1)



(100%)
(1 2)

1 —
2 —
1;
2:


10 μ s;
100 μ s

B.2

kV



(62.5%)



(75%)

()

1 —
2 —
3 —

100 μ

100 μ

30 μ


B.3

kV/220kV

(1)

(3)

(4)




2 — -

100 μ

B.5

kV

(1)




1 — — 0
2 — —


100 μ S;
100 μ

B.6


kV



(1)



(2)



) (100%)

(115%)

(1)

()

1 —

10 μ s;

2 —


15 μ s,

1 :



10%

B.7



kV




(1)



(2)



(60%)



b)

1—

10 μ

B.8

10 μ
KV

(1)

(2)

) (62 . 5%) b) (100%)
()

(3)

(4)


c) (62 . 5%) (100%)

1—
2 - -
3 —
4—


25 μ
S;
50 ps.

B.11


kV



(50%)



(75%)



(100%)

s

2:

B.12

(1)

(3)

(2)

) 62.5%

(3)

(2)

b)

(1)

(2)

s;

2 - - - -

5000 μ

3 — -

5000 μ

B.

GB/

(1)

(2)

(3)




) 90%

100%

0%

(1)

(2)




()



a)

b)

B.18



a)


5 μ

GB/T 16927.1

s




B.19

MHz



a)


b)



)

b)


B.21





(

400

)





B.23