





1

2

3

4

5

8

1

35kV

?kV

3

2

2.1



10

40



20%—95%



500m



380VAC ± 10% 50Hz ± 1Hz

2.2



GB/T30842-2014



GB/T12190-2006



GB50169—2016



SJT31470-2002



GB/T50076-2013



GB12348-2008



GB50800-2012



GB3096-2008



GB12523-2011



GB50222-2017



GB12349-2008



GB8624-2014



GB50016-2014



GB50150-2006

⌘

◆ GB50169-2016

◆GB/T 16927.1-1997

◆GB/T 7354-2003

2.3

2.2

2.4

2.4.1

$9 \times 5 \times 4$ H m

3.5 × 2.5 × 2.8 H m

2.4.2

14kHz~1MHz $\geq 60\text{dB}$

100 kHz~1GHz ≥ 70 dB

2.4.3

5S 100Hz

2.4.4

2.4.5

 $\leq 1.0 \Omega$

2.4.6

 $\geq 1000\text{M}\Omega$ $\geq 10k\Omega$

2.4.7

 $\leq 2.0 \text{ pC}$

2.5

2.5.1

1

2.0

2

50mm

2mm /

3

4

1	6m/min			
2		$\leq L/1000$	L	
3		$\leq 2\text{mm}$		
4			$\leq 1\text{mm}$	$\leq$
	$0.6L/1000$			
5		$\leq 0.1\text{mm}$	$\leq 0.1\text{mm}$	$\leq 1\text{mm}$
6				
7				
8				$\exists$

6

7

2.5.7

1

300 × 600mm

4

2

2

3

2.5.8

1

,

2

3

4

AC380V/50Hz 4 × 63A 1

AC220V/50Hz 2 × 32A 1

1

1

2.5.9

1

2

3
4
2.5.10
2.5.11

200WLED 4

1
1.0Ω

2 200 × 200 × 20
M16 2
1 1
3

2.5.12

1) PP (6mm)

2) >100MΩ
>10KΩ 500V
>10KΩ

500V

3.2 0.4mm

3.3 M8 50mm

3.4 RAL7035

3.5 2.2m × 1.5m
20 φ 0.27mm

3.6 0.9 × 1.9m, 1

3.7 220V/65A

3.8 1 1.5
,

3.9 2 300 × 300mm

3.10
1

2 2 LED 2

3 220V 10A 2 1

1
3.11

1) (600x600)

2)

3)

0.7

600 × 600

3.12

4

5

