



—

UHV-601 SF₆



1

2

SF₆

5

6

7

1



“

”

H

2

SF₆

SF₆

1 SF₆

SF₆

SF₆

GIS

SF₆

SF₄

S₂F₂

S₂F₁₀

SO₂F₂

HF

SO₂

2 SF₆

SF₆

SF₆

SF₆

SF₆

O₂

SF₆

SF₆

SF₆

3 SF₆

SF₆

SF₆

8

SF₆





1000*10⁻⁶

1000ppm

1000*10⁻⁶

SF₆

SF₆



SF₆

SF₆

MPa

SF₆

SF₆

SF₆

SF₆

SF₆

10⁻⁶

SF₆

W

+

W

+

W

+

+

W

+

A33 Cortex™-A7

10.1

10ppm SF6

1%

0.5%

SF6

10.1

AC185~265V DC110V/220V

SF6

SF6

A/D

SF6


SF6

RS 485

SF6

1000ppm

18%



5

“ ”




“ ”



admin

123456



1

← 时间设置

0000 年 00 月 00 日

00 : 00 : 00

系统时间: 2020-07-15 11:17:25

保存

2

← 传感器设置

采集器个数: 10

温湿度个数: 10

SF6报警阈值: 1000ppm

O2报警阈值: 18%

氧气传感器校准: 20.9

SF6传感器校准: 0.0


实验模式: ☐

保存

SF6


O2

3





1

4





5





N X +



7


SF6




← 监视窗口 当前时间: 21:08:46


传感器地址	SF6(ppm)	氧气(%)	温度(C)	湿度(%RH)
332开关柜1号	0	20.4	32.2	23.5
3号主变2号	0	20.4	32.2	23.5
GIS 3号	0	20.4	32.2	23.5
35KV开关室4号	0	20.4	32.2	23.5
220KV GIS 5号	0	20.4	32.2	23.5
电缆层 6号	0	20.4	32.2	23.5
110KV开关室 7号	0	20.4	32.2	23.5
中压电缆沟 8号	0	20.4	32.2	23.5


8






9




[illegible]

6

GIS

~~A/D~~

A	B
1	1
1	2
1	3
1	4
1	5
1	6
1	7
1	8
1	9
1	10
1	11
1	12
1	13
1	14
1	15
1	16
1	17
1	18
1	19
1	20
1	21
1	22
1	23
1	24
1	25
1	26
1	27
1	28
1	29
1	30
1	31
1	32
1	33
1	34
1	35
1	36
1	37
1	38
1	39
1	40
1	41
1	42
1	43
1	44
1	45
1	46
1	47
1	48
1	49
1	50
1	51
1	52
1	53
1	54
1	55
1	56
1	57
1	58
1	59
1	60
1	61
1	62
1	63
1	64
1	65
1	66
1	67
1	68
1	69
1	70
1	71
1	72
1	73
1	74
1	75
1	76
1	77
1	78
1	79
1	80
1	81
1	82
1	83
1	84
1	85
1	86
1	87
1	88
1	89
1	90
1	91
1	92
1	93
1	94
1	95
1	96
1	97
1	98
1	99
1	100
1	101
1	102
1	103
1	104
1	105
1	106
1	107
1	108
1	109
1	110
1	111
1	112
1	113
1	114
1	115
1	116
1	117
1	118
1	119
1	120
1	121
1	122
1	123
1	124
1	125
1	126
1	127
1	128
1	129
1	130
1	131
1	132
1	133
1	134
1	135
1	136
1	137
1	138
1	139
1	140
1	141
1	142
1	143
1	144
1	145
1	146
1	147
1	148
1	149
1	150
1	151
1	152
1	153
1	154
1	155
1	156
1	157
1	158
1	159
1	160
1	161
1	162
1	163
1	164
1	165
1	166
1	167
1	168
1	169
1	170
1	171
1	172
1	173
1	174
1	175
1	176
1	177
1	178
1	179
1	180
1	181
1	



SF₆

10cm

			RVV2*1	1
			RVV4*0.75	1
	/		RVV4*0.75	1
			RVV2*1	1

1	SF6			10.1	LED
			RS485/232		
2	410*350*70	*	*		
3					

	AC/DC	185~265V	
SF6	1-1500ppm	<0.1%	
	1.0~25.0%	<0.5%	
	18%		
	20~99		
	0~99%RH		
	24V		
	24V		
	380V	25A	

SF₆

N	
RS485	
RS232	

1

SF₆

SF6

2

160*91*50

* *

1

2

380V 25A

3

250*200*150

* *

1

LED

2

3

680*150*45

* *

7

"

]

J

E

SF₆

—

W

D