

		6
		6
1.		6
2.		7
		7
1.		7
2.		9
		9
1.		9
2.		10
3.		10
4.		10
5.		10
6.		10
7.		11
8.		12
9.		12
		12
1.		12
1.1		13
1.2		14
2.		14
3.		15
4.		16
5.		17
6.		19
7.		21

8.		22
		23

--

1024*700



	460mm┆380mm┆160mm	L*W*H
	20KG	

- 1)0.05
- 2)
- 3)40Hz65Hz0.004Hz0.01Hz
- 4)ABC
- 5)0360
- 6)
- 7)0.03RG1PPM
- 8)32MCU+DSP
- 9)50000

10)

RS232

PC

	0.01%RG
	0.1%RG
	0.03%RG/1min
	0.2%
	15VA
	0.03%RG
	1ms
	0A 10A 20A
	0A 0.2A 0.2A 1A 1A 6A 6A 10A 20A
	16PPM/
	120PPM/

	0.1%RG
	0.03%/1min

	0 359.99
	0.02
	0.04

	40Hz 65Hz
	0.004Hz
	0.01Hz
	1PPM/
	8PPM/

	-1 0 +1
	0.0002

	0.001
--	-------

2 49

0 60V	60%	0 5A	50
60 100V	30%	10A 20A	(100/((int)Iout))%
100 150V	20%		
150 200V	10%		
200 220V	10%		
220 300V	3%		
300 380V	2%		
	0 359.99	PC	
	<0.01		
	0.4%		

0 60V	40%	0 5A	30
60 100V	20%	10A 20A	(100/((int)Iout))%
100 150V	5%		
150 200V	4%		
200 220V	1%		
220 300V			
300 380V			
	0 359.99	PC	
	<0.01		
	0.6%		

(100/((int)(Iout)))%

20A 20A 100/(20) 5


Ua


V	uF
0 140	1.0
140 280	1.0
280 420	0.6

	220V (05) AC @50Hz
	0 40
	085%
	30 60



1---3

	PIN1		
	PIN2	CGND)	
	PIN3	5V	CVCC
1 2			




，
，
，
，

---1 2---


SOE

5V




2

3



/			
Hz	a	b	c
	1		Ua
	2	III	
Ua Uc	Ub	Uc	Ua Ub
Ua Uc	Ub	Uc	Ua Ub



4

A B C

A B C

5

5

/	
Hz	a b c
1	4
	å
 序列1	
1	
	
	1 1 2
	2 1



6

2 40

2 40

20

220V

8A

