



Ů oym Ā

m "

		4
		4
		4
1		4
2		5
3		5
		6
		7
1		7
2		7
3		7
4		11
5		13
6		13
		15
		15
		16

1

2

3

4

5

6

LCD

7

1

5 C 40 C

<95% 25 C

<2500m


185VAC~250VAC, 45Hz~65Hz

2

1)	0—1Ω	0.2%FS±2	
	1—6000Ω	0.2%	
2)	0—50V	0.2%FS±2	
	50—600V	0.2%	
3)	0—10A	0.2%FS±2	
	10A—120A	0.2%	
4)	0—1kW	0.1>CosΦ>0	1%FS±2
		CosΦ>0.1	0.5%FS±2
	1kW—72KW	0.1>CosΦ>0	1%FS±2
		CosΦ>0.1	0.5%FS±2
5)	40---75HZ	0.2%	
6)	415×225×200mm		
7)	5kg		

3

1)	≥100M	
2)	2KV	1



1

1

2

3 ;

4

5 6

8 9 0—600V

7 10 0—120A

11

12 220V

13

1


“ OK ”

“ ”
“ ”


“ ↑ ” “ ↓ ” “ ← ” “ → ”
0~9

2

2 4



”



3

◇ —

◇ —

5—50V

◇ —

0--600V


1.1

◇ —

0--120A

1.1

2)



3)

“ ”

4

“ ”

自动测试				f(Hz)	49.98
	U(V)	I(A)	Z(Ω)	P(W)	
1	20.1	0.3	67.0	4.52	
2	40.1	0.6	67.2	16.32	
3	60.1	0.89	67.2	37.4	
4	80.3	1.23	66.8	67.4	

自动测试记录			
I(A)	Z(Ω)	P(W)	U(V)
0.3	67.0	4.52	1 20.1
0.6	67.2	10.92	2 40.1
0.89	67.2	37.4	3 60.1
1.23	66.8	67.4	4 80.3
1.52	67.6	125.3	5 100.1
1.84	66.8	162.3	6 121.3

5

“ ↑ ” “ ↓ ”


“ ”

“ ”

“ ”

6 “

”



6

50

50

50

4

1)

“ ↓ ”

“

”

1

“ ↑ ”

式

(V)

20.1

40.7

60.1

72

67.

67.2

5 V

I= 1.98A

保存

8

1.1

9

11

手动测试结果				
	U(V)	I(A)	Z(Ω)	P(W)
1	20.1	0.3	67.0	4.52
2	40.1	0.6	67.2	16.92
3	60.1	0.89	67.2	37.4
4	80.3	1.23	66.8	67.4
5	100.5	1.52	67.6	125.3
6	121.1	1.84	66.8	162.3

9

“ ↑ ” “ ↓ ”

“ ”

“ ”

“ ”

6 “ ”

”

5

“ ” “ OK ”

“ ”

“ ”

“ OK ”

“ ”


“ ” “ OK ”

6

“ ”

系统设置			
日期:	09年 02月 09日		
时间:	14时 16分 33秒		
过压过流报警:	1.1 倍		
语言(language):	中文 (Chinese)		
取消	确定	清除记录	厂家设置

“ ”



1)

2)

3)

I1 I2

U1

U2

4)

5)

1)

AC 220V

1)